

	Form	F 7.3.29
	MATERIAL SAFETY DATA SHEET	
		Rev: B Page: 1 of 4 Date: 01/25/07

----- I. PRODUCT IDENTIFICATION -----

TRADE NAME (as labeled): LATAPOXY® 210 Modified Epoxy Adhesive Part A

CHEMICAL FAMILY: Epoxy curing agent

MANUFACTURER'S NAME: LATICRETE INTERNATIONAL, INC.
 1 Laticrete Park, N.
 Bethany, CT 06524-3423 USA

Reviewed & Approved By:
Steven B. Fine
 Steven B. Fine
 Sr. Research Chemist/Safety Officer

Phone number for additional information: (203) 393-0010

Date prepared or revised: 1/11 Name of preparer: S.B. Fine

----- II. HAZARDOUS INGREDIENTS -----

CHEMICAL NAMES	CAS NUMBERS	PERCENT	ACGIH TLV	OSHA PEL	OTHER (SPECIFY)
Fatty Acid	68410-23-1	15-25	N/A	N/A	N/A
Polyamides					
Triethylene Tetramine	112-24-3	0.5-1.5	N/A	N/A	N/A

N/A = Not applicable or available

----- III. HEALTH HAZARD INFORMATION -----

SYMPTOMS OF OVEREXPOSURE for each potential route of exposure. (Possible Longer Term Effects) N/A

SIGNS AND SYMPTOMS OF EXPOSURE (Acute effects)

Inhaled: N/A

Contact with skin or eyes: Mildly irritating to skin, irritating to eyes

Absorbed through skin: N/A

Swallowed: Can cause gastro intestinal irritation, nausea, vomiting, diarrhea

SUSPECTED CANCER AGENT?

NO: This product's ingredients are not found in the lists below.

YES: Federal OSHA NTP IARC



MATERIAL SAFETY DATA SHEET

Form

F 7.3.29

Rev: **B**
Page: **2 of 4**
Date: **01/25/07**

-----IV. FIRST AID: EMERGENCY PROCEDURES-----

Eye Contact: Hold eyelids apart and immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

Skin Contact: Promptly wash the contaminated skin with soap or mild detergent and water. If it soaks through clothing promptly remove the clothing and wash skin with soap and water. If irritation persists, seek medical attention

Inhaled: N/A

Swallowed Immediately drink two large glasses of water . Call a physician

----- V. FIRE AND EXPLOSION -----

Flash Point method): Non-flammable or combustible in liquid form

Auto ignition temperature, °F: N/A

Flammable limits in air, volume %: Lower (LEL)_____ Upper (UEL)

Fire extinguishing materials:
_____ x _____ water spray _____ x _____ carbon dioxide _____ other:
_____ foam _____ x _____ dry chemical

x
Special fire fighting procedures: N/A

Unusual fire and explosion hazards: N/A

----- VI. SPILL, LEAK, AND DISPOSAL PROCEDURES -----

Spill response procedures (include employee protection measures): Remove excess. Flush with water and wash with 5% acetic acid solution. Cleanup employees should wear safety goggles, and impervious gloves and dust masks.

Preparing wastes for disposal (container types, neutralization, etc.): Collect in metal waste container and seal

NOTE: Dispose of all wastes in accordance with federal, state and local regulations.

-----VII. Handling and Storage-----

Should be stored at temperatures between 40-100°F and used within 12 months.



MATERIAL SAFETY DATA SHEET

Form

F 7.3.29

Rev: **B**
Page: **3 of 4**
Date: **01/25/07**

----- VIII. Exposure Controls and Personal Protection -----

Ventilation and engineering controls: Not necessary

Respiratory protection (type): Not necessary

Eye protection (type):): Chemical goggles or safety glasses with side shields

Gloves (specify material): Impervious gloves; polyethylene or rubber

Other clothing and equipment: Clean long sleeve and long leg clothing

Work practices, hygienic practices: Inform workers of the special handling information and maintain good housekeeping standards.

Other handling and storage requirements: N/A

Protective measures during maintenance of contaminated equipment: See above.

----- IX. PHYSICAL PROPERTIES -----

Vapor density (air=1): N/A

Melting point or range, °F: N/A

Specific gravity: 0.96

Boiling point or range, °F: 200

Solubility in water: dispersable

Evaporation rate (butyl acetate =

Vapor pressure, mmHg at 20°C: N/A

Appearance and odor: A viscous tan or white olored liquid; no odor

HOW TO DETECT THIS SUBSTANCE (warning properties of substance as a gas, vapor, dust, or mist):

----- X. REACTIVITY DATA -----

Stability: x Stable Unstable

Conditions to avoid: N/A

Incompatibility (materials to avoid): N/A

Hazardous decomposition products (including combustion products): (from burning, heating, or reaction with other materials). N/A

Hazardous polymerization: May occur x Will not occur

Conditions to avoid: N/A



MATERIAL SAFETY DATA SHEET

Form

F 7.3.29

Rev: **B**
Page: **4 of 4**
Date: **01/25/07**

-----XI. Toxicology Information-----

N/A

-----XII. Ecological Information-----

N/A

-----XIII. Disposal Information-----

Dispose in compliance with local, state, and federal regulations.

-----XIV. Transport Information-----

No special labeling or transportation placarding is required.

-----XV. Regulatory Information-----

All ingredients are listed on the U.S. EPA TSCA inventory of chemical substances.

-----XVI Other Information-----

This information is furnished without warranty, representation, inducement or license of any kind; except that it is accurate to the best of our knowledge, or obtained from sources believed by us to be accurate.